



KLEEMANN

Your 1st Choice in Lifts



K L E E M A N N P R O D U C T R A N G E

LIFTS THAT MEET YOUR HIGHEST EXPECTATIONS

From major-scale public ventures with high-specification objectives and short turnarounds, to cost-effective, compact and hard-wearing business solutions or affordable private residence projects, we will work with you to develop the ideal product.

01

WORLD-CLASS DESIGN

Wide range and unique design options that can be customized according to your specific needs.

02

EASE OF INSTALLATION

Products designed for ease of installation and use, reliability and spatial efficiency.

03

OUTSTANDING PERFORMANCE

Top quality equipment that ensures the excellent lift operation and reliability.

04

RECORD FAST DELIVERY

KLEEMANN provides record fast delivery for standard range products.

PASSENGER LIFTS



PASSENGER LIFTS

ATLAS PREMIUM


Atlas Premium is a traction MRL option for commercial and public buildings. Atlas Premium can be adapted to accommodate your specific lift requirements, including specialist anti-vandal, firefighting and earthquake resistant lift solutions.

The perfect combination of exceptionally low energy consumption and outstanding performance




ATLAS PREMIUM

ADVANTAGES



ECO-DESIGN

Atlas Premium has been designed according to the Eco design principles (ISO 14006) and holds an Environmental Product Declaration in compliance with ISO 14025.



EXTRA SAFETY FEATURES

Safety and durability are enhanced with the features for vandal resistant (EN81-71), firefighting (EN81-72) and earthquake resistant lifts (EN 81-77 or ASME A17.1).




EMERGENCY EVACUATION

The emergency evacuation system ensures the safe transportation of passengers to the nearest floor where the doors automatically open as to allow the car exit.



SCAFFOLDLESS INSTALLATION

KLEEMANN has developed a cost saving scaffoldless method to install the Atlas Premium with minimum assistance from the builder.



STOPPING ACCURACY

Due to its gearless motor and state-of-the-art inverter, Atlas Basic offers excellent stopping accuracy that does not exceed 2mm while the ride quality exceeds all quality standards (measurements based on ISO 18738).



ATLAS PREMIUM

SPECIFICATIONS



Rated load (kg)	375-1000
Suspension	2:1
Machine room	MRL (MR)
Max travel (m)	65
Max Number of stops	24
Max Speed (m/s)	1,6
Min Pit Depth (mm)	v≤1,0 m/s 1100 v=1,6 m/s 1250
Min Headroom (mm)	v≤1,0 m/s 3400* v=1,6 m/s 3600*
Complies with	Lifts Directive 2014/33/EU

* For internal car height 2100mm