



KLEEMANN

Your 1st Choice in Lifts



KLEEMANN PRODUCT RANGE

LIFTS THAT MEET YOUR HIGHEST EXPECTATIONS

From major-scale public ventures with high-specification objectives and short turnarounds, to cost-effective, compact and hard-wearing business solutions or affordable private residence projects, we will work with you to develop the ideal product.

01

WORLD-CLASS DESIGN

Wide range and unique design options that can be customized according to your specific needs.

02

EASE OF INSTALLATION

Products designed for ease of installation and use, reliability and spatial efficiency.

03

OUTSTANDING PERFORMANCE

Top quality equipment that ensures the excellent lift operation and reliability.

04

RECORD FAST DELIVERY

KLEEMANN provides record fast delivery for standard range products.

PASSENGER LIFTS



PASSENGER LIFTS

ATLAS RPH R

Atlas RPH R is a traction MRL solution ideal for the modernization of existing lifts and those with narrow shafts. The state-of-the-art inverter minimizes noise and delivers outstanding ride quality and exceptionally low energy consumption.


A practical solution for buildings with pit and headroom limitations






A T L A S R P H R

ADVANTAGES




ECO-FRIENDLY

Energy saving product which reduces CO2 emission up to 60% using a regeneration drive, stand-by-mode and led lighting.



SPATIAL EFFICIENCY

Suitable for buildings with reduced pit and headroom, Atlas RPH R is Ideal for modernization of existing lifts. Designed to support the installation of up to three cabin doors.




EASE OF INSTALLATION

Atlas RPH needs only one wall for the installation with most of the subunits pre-assembled and ready to be installed.



SAFE DOOR CLOSING

Atlas RPH R is equipped with light curtains to provide additional safety and protection to the passenger when the car doors are closing.



LOW NOISE LEVELS

Gearless motor and state-of-the-art inverter combined with innovative design guarantees remarkably low noise levels inside and outside the cabin. The noise level inside the cabin (measured according to ISO 18738) during the lift operation reaches 52-54 dB (A).



A T L A S R P H R

SPECIFICATIONS



Rated load (kg)	450-1050
Suspension	2:1, 1:1
Machine room	MRL
Max travel (m)	40
Max Number of stops	14
Max rated speed (m/s)	1,0
Min Pit Depth (mm)	320
Min Headroom (mm)	2600
Maximum car entrances	3
Complies with	Lifts Directive 2014/33/EU

Elevators
Passenger lifts
Atlas RPH R

Passenger Atlas RPH R

A highly practical solution for buildings with pit and headroom limitations, also recommended for existing buildings

Type of lift > Traction



Extra features & upgrades

KLEEMANN LIVE	KLEEMANN PORTAL	ECO-FRIENDLY LIFT	ANTI-VANDAL (EN 81-71)
FIREFIGHTING (EN 81-72)	ACCESSIBILITY (EN 81-70)		

Recommended uses

Residential
Commercial & Public

Description & features

Atlas RPH R provides a practical traction MRL solution for residential buildings with pit and headroom limitations. Suitable for rated loads up to 1050kg, Atlas RPH R features KLEEMANN's premium quality gearless motor and speeds of up to 1m/s.

Advanced inverter

The state-of-the-art inverter minimises noise and delivers outstanding ride quality and exceptionally low energy consumption.

Ease of installation

Atlas RPH R needs only one wall for the installation with most of the subunits pre-assembled and ready to be installed.

Spatial efficiency

Atlas RPH R complies with standard EN81-21 and suitable for buildings with reduced pit and headroom. Ideal for the modernization of existing lifts. Designed to support the installation of up to three cabin doors.

Technical specifications

Model	Atlas RPH R
Rated load (Kg)	450-1050
Suspension	1:1, 2:1
Machine room	Machine Room-Less
Max travel (m)	40
Max number of stops	14
Max speed (m/s)	1,0
Min pit depth (mm)	320
Min headroom (mm)	2600
Maximum car entrances	3
Complies with	Lifts Directive 2014/33/EU

